



PAY TOLLS

Pay tolls or entrance control objects, sale points etc. are made in several standard types depending on dimensions, material or equipment.



▲ 1,2 x 2,2 m aluminium construction



▲ 2,4 x 2,4 m with shelter and desk, aluminium construction

Technical description:

Construction:
Basic units are made from aluminium. Except aluminium, there is also possibility of zinc steel, painted or stainless steel.

Fillings:
poliurethane pannel 40 mm

Basement:
Laminate

Openings:
Aluminium, sliding window, glass IZO 4-12-4

Additional equipment:
Air condition, heater, venetians curtain

Electric installation:
Completely finished, according EU norms, fuses, switch, sockets, light

Beside standard units, we are capable of produce custom types according to requests.

- Dimensions
- 1,5 x 1,5 m
- 1,5 x 2,0 m
- 2,0 x 2,0 m
- 2,0 x 2,4 m
- 2,4 x 2,4 m
- 2,4 x 3,6 m

▼ pay tolls steel construction 2,8 x 2,3 m

▼ border control aluminium construction 3,0 x 2,4 m



▶ stainless steel construction with several payment positions, dimension 4,0 x 3,0 m, stainless steel shelter with illuminated sign, integrated illuminated informative spaces City Light, air condition and venetians curtains



▼ pay tolls - sale points 3,0 x 3,0 m stainless steel construction, advertising window City Light, rolo closing Maksimir stadion, Zagreb

▼ City Light 803 with led display (option)






▼ type 1700 05
entrance control 4,0 x 2,1 m,
stainless steel, for Konzum
management building




entrance control with shelter ▲

sailor's control point developed for Punat Marina:
stainless steel construction, facade from laminate in
wood pattern, tent, stainless steel fence, stairway, ▼



combination of entrance
control with shelter, benches
and advertising vitrines
City Light ▲



entrance control
with shelter ▲

